

# Whitworth Shop

Cabinet Maker  
Coachbuilder  
MG: MMM & T-Series  
VW: Type II & 181  
Gravelly: Model D & L

Craig Seabrook  
14444 Watt Road  
Novelty, OH 44072 U.S.A.  
Phone: 440-338-5950  
E-Mail: seabrook@en.com

---

## No. 317B Coleman Frosted Glass Shade with Nickel Band

No. CQ317B  
With Frosted Shade



**A**VERY practical lamp for constant use. Its crystal shade, rough outside and smooth inside, casts no shadow and is attractive in appearance anywhere.

Glass shade & nickel band reproduced exactly as original to fit the following lamps:

Model CQ Quick-lite Table Lamp  
Model PQ Quick-lite Chandelier  
Model BQ Quick-lite Bracket Lamp

No.317 Coleman glass shade only \$60  
No.317B Coleman glass shade & nickel band \$80  
Nickel band only \$45

UPS & Handling extra - double boxed - call for details

**PROPANE GAS LANTERN**  
 WITH DISPOSABLE FUEL CYLINDER

Instant lighting  
 No Pumping • No Priming  
 No spilling • No filling  
 Smokeless • Odorless

**BERNZ-O-MATIC®**

"Super Bright"  
 Adjustable Light

Des. PAT.  
 177,293

"ALWAYS RELIABLE" SINCE 1876  
 PRODUCT OF OTTO BERNZ CO., INC. • ROCHESTER, N. Y. • MADE IN U. S. A.

MODEL TX-700



**Bernz-O-Matic  
 Lantern \$7.50**



**Montgomery Wards  
 Hawthorne \$4.00**

**PROPANE GAS COOK STOVE**  
 WITH DISPOSABLE FUEL CYLINDER

Instant lighting  
 No Pumping • No Priming  
 No spilling • No filling

**BERNZ-O-MATIC®**

Smokeless • Odorless  
 Adjustable Blue Flame  
 High heat burner

Pat. Pend. "ALWAYS RELIABLE" SINCE 1876  
 Des. PAT. Pend.

PRODUCT OF OTTO BERNZ CO., INC. • ROCHESTER, N. Y. • MADE IN U. S. A.

MODEL TX-500

**Bernz-O-Matic  
 Stove \$7.50**

## CAUTIONS

- Read carefully all instructions — on fuel and how to pump and light.
- Pump on stove has an air lock; unscrew lock before pumping; screw lock closed after pumping to prevent leakage.
- Burner valve must be opened wide after flame burns blue otherwise tank pressure will drop.
- Replacement parts (in parts tube and in pump barrel) furnished with this stove will facilitate stove repairs in the field, which should maintain good performance and increase useful life of stove.
- When using leaded gasoline, clean underside of round burner plate after each 10 hours of operation.
- Clean and empty tank completely after each 20 hours of operation.

520/523 Military Stove  
\$3.00

# USE ONLY KEROSENE

237B \$3.00

- ← ON LIGHT OFF →  
STOVE, COOKING, GASOLINE, M-1950, ONE BURNER
1. FILL & PUMP CLEAN GASOLINE. PUMP 10 STROKES.
  2. TURN VALVE EXTREME LEFT (ON) 3 SECONDS, THEN (OFF) POSITION. APPLY MATCH AND ALLOW TO BURN ONE MINUTE.
  3. OPEN VALVE TO VERTICAL (LEFT) POSITION UNTIL HEAR TURN BLUE, THEN OPEN FULL (ON) 1/2 TO STROKES.
  4. SPARE PARTS ARE CONTAINED IN PUMP PLUNGER.
- CAUTION: WHEN USED IN CONFINED QUARTERS PROVIDE ADEQUATE VENTILATION.

M-1950 ( 536 ) Pocket Stove  
\$3.00



Turner Deluxe  
Camp Light \$4.50



Thermos \$2.50


**CAUTION: READ ALL INSTRUCTIONS.**  
USE ONLY CLEAN, WHITE NON-LEADED  
GASOLINE IN THIS LANTERN.  
**TO LIGHT**— OPEN VALVE 1/2, TURN  
TO LEFT AND LIGHT.  
AFTER MANTLES BURN BRIGHT, OPEN  
VALVE AS FAR AS POSSIBLE, ADD  
SEVERAL STROKES OF AIR.  
AFTER USING PUMP, CLOSE STEM TIGHT.  
EMPTY AND CLEAN FOUNT COMPLETELY  
AFTER EACH 50 HOURS OF OPERATION.

1947 220D \$2.00



Turner  
Camping Lantern \$4.50





234 \$5.00



235 \$5.00



Thermos  
"Holiday" \$4.00



AGM Kamplite  
"Brown" \$1.50



SEARS  
"Ted Williams" \$7.50

FUELING - FILL 3/4 FULL OF GASOLINE - TIGHTEN CAP TO LIGHT - CLEAN TIP BY MOVING CLEANER LEVER DOWN AND BACK UP - PUMP 30/40 STROKES - OPEN VALVE SLIGHTLY TO FILL PRING CUP 3/4 FULL - CLOSE VALVE - LIGHT WHEN GASOLINE IS ALMOST CONSUMED OPEN VALVE GRADUALLY TO OBTAIN A MAXIMUM BLUE FLAME TO PACE - CLOSE VALVE - LET BURNER GO OUT - LOOSEN AND RETIGHTEN PUMP CAP  
SPARE PARTS - IN PUMP BARREL ( UNSCREW PUMP GRIP ) AND IN HOLDER ATTACHED TO FRAME.  
CAUTION - PROVIDE GOOD VENTILATION WHEN OPERATING IN A CONFINED SPACE - DO NOT DISASSEMBLE EXCEPT FOR NECESSARY MAINTENANCE.

M-1942 Mod. Stove  
Instruction Label \$2.00



No. 129 \$5.00



No. 143 No. 132-A  
No. 130 No. 131  
\$3.00 ea.

### OPERATION

1. Fill with any type of gasoline—Unleaded Preferred.
2. Tighten Filler Plug and close Valve.
3. Push pump Handle in and turn several turns to left to open Pump Check.
4. Pump 12-25 strokes with thumb over Pump Handle hole.
5. Push Pump Handle all the way in and turn to right until tight.
6. Open Valve one quarter turn and insert lighted match under Mantel.
7. Allow to burn to bright light and gradually open Valve full—avoid flaming.
8. Pump several strokes as per 3, 4 and 5.

CAUTION: EXCESSIVE STARTING PRESSURE WILL BRAKE THE MANTLE.

### LIGHTING NEW MANTLE

1. Tie mantle around the groove in burner cap and cut off extra string.
2. Distribute the fabric evenly around the burner cap.
3. Light bottom of mantle evenly with match.
4. Let mantle burn until only ash remains.
5. Allow mantle to cool several minutes after it burns off.

### MAINTENANCE

1. Generator should last 100-200 hours.
  2. Clean Generator Tip with Pricker on wrench after 50-55 hours operation (do not use Pricker unnecessarily).
  3. When replacing Generators remove protecting Cap and Screw.
  4. Wash Fount out with gasoline when changing Generator.
  5. When attaching new Mantle distribute folds evenly.
  6. Keep Pump Leather soft with light oil.
- PRECAUTION: Always provide good ventilation, particularly when burning leaded gasoline.

1945 Military Set of Three \$4.50



200EC \$ .50



200A2C \$ .50



AGM Kamplite \$1.50



AGM Kamplite  
"Scotsman" \$2.50



LP GAS  
LANTERN

200A1LP \$1.25



LP GAS  
LANTERN

200A3LP \$1.25





200ES \$1.00



**KEROSENE**

201K \$.75



200A3S \$1.00



**KEROSENE**

214K \$.75



200A2S \$1.00



275 \$5.00

TO LIGHT  
OPEN VALVE  
¼ TURN  
TO LEFT  
AND LIGHT



AFTER MANTLES  
BURN BRIGHT  
OPEN VALVE  
AS FAR AS  
POSSIBLE

SEARS Rectangle  
"Pointed Bottom" \$1.50 Printing  
In White

TO LIGHT  
OPEN VALVE  
¼ TURN  
TO LEFT  
AND LIGHT



AFTER MANTLES  
BURN BRIGHT  
OPEN VALVE  
AS FAR AS  
POSSIBLE

SEARS Round Logo \$2.50

TO LIGHT  
OPEN VALVE  
¼ TURN  
TO LEFT  
AND LIGHT



AFTER MANTLES  
BURN BRIGHT  
OPEN VALVE  
AS FAR AS  
POSSIBLE

SEARS Rectangle \$1.50 Printing  
In White



Turner Brass Works  
Shield \$5.00

# FOUNT LABELS

## 200A, 220-228 SERIES *Coleman* LANTERNS

LABEL	PART #	DESCRIPTION	APPLICATION & YEAR
	200E	Red background only	200A 1951 220-228E 1951-1953 \$1.50
	200A	Yellow border	200A 1952-1953 "
	200AR	Yellow border, "REG."	200A 1954-1960 "
	200ER	Red background, "REG."	220-228E 1954-1961 "
	200A2Y	Yellow border, "REG.", Lantern	200A 1961 "
	200A3	NO white border, "REG.", Lantern	200A 1962-1964 220-228E,F 1962-1964 "
	200A1	White border, "Pats Pending", "REG.", Lantern	200A 1965-1970 220-228F 1965-1970 "
	200A2	White border, "REG.", Lantern	200A 1971-1983 220-228F,H,J,K 1971-1983 "
	202	Smaller, Gold border, "REG."	202 1954-1964 \$1.75
	220C	Large yellow/black Instructions	220-228C 1945-1946 \$1.25

*Coleman* is a registered trademark of The Coleman Co. Inc.

**FRED KUNTZ** 47 LARCHWOOD DRIVE PAINESVILLE, OHIO 44077 **440-352-9630**

PLEASE LEAVE MESSAGE

## Filler Cap Gaskets

242	Fits 242-243 Lanterns -----	\$.25
200	Fits 200, 220-228 Lanterns , Campstoves -----	\$.25
118	Fits 118-119 lamps, 427 lantern , 220/228 slant generator-	\$.25
536	Fits 536 ( M-1950 ) Pocket Stove -----	\$.50
460	Fits 460 and other Handy Gas Plants -----	\$.50

Cap gaskets are made of Buna-N rubber which has a very high resistance to petroleum based products.

**Fred Kuntz 47 Larchwood Dr. 440-352-9630**  
**Painesville, OH 44077**

**E-mail: [fredkuntz@adelphia.net](mailto:fredkuntz@adelphia.net)**





**No. 319 Mica Chimney without Reflector**  
For AL319 Lantern. Is six inches in diameter  
by four and one-half inches high.



**No. 323 Mica Chimney without Reflector**  
For 1L323 and GS323 Lanterns. Is five inches  
in diameter by five inches high.



**No. LQ327 Mica Chimney with Reflector**  
Made especially for LQ327 Quick-Lite Lantern.  
Is five inches in diameter by five  
inches high. Is wind-proof, rain-proof, and bug-  
proof. Reflector throws strong light in any direc-  
tion desired.



### **No. 327 Mica Globe**

A 13-piece Globe for use on Coleman 2  
Mantle Lanterns. Makes lanterns wind-proof  
storm-proof, bug-proof, 5 $\frac{3}{4}$  inches high by  
4 $\frac{1}{8}$  inch diameter.



### **No. 440 Mica Globe**

For use on Coleman Lantern Nos. 242, 242A  
242B and 243, also fits No. 234 Kerosene Lantern  
3 $\frac{1}{2}$  inches diameter, 4 $\frac{1}{4}$  inches high.



### **No. 351 Mica Mantle Protector**

Mica globe mantle protector for use on Lamps  
Nos. 130P, 131P and 132P.

REPLACEMENT MICA CHIMNEYS FOR

**Coleman**

LANTERNS & LAMPS

<b>No 319</b>	for model A319 Air-O-Lantern	<b>\$22.00</b>
<b>No 323</b>	for model 323 Air-O-Lantern	<b>\$25.00</b>
<b>No LQ327</b>	w/wide or narrow reflector for early model 327	<b>\$28.00</b>
<b>No 327</b>	w/sliding door for models 327,427,227,220 & 228	<b>\$28.00</b>
<b>No 440</b>	for models 242, 243	<b>\$ 16.00</b>
<b>No 351</b>	mantle/shade protector for lamps w/parchment shades	<b>\$25.00</b>

*I can make Mica Chimneys to your specifications or original samples for other makes and models not listed.*

**PYREX® GLOBES**

Made of PYREX® glass tubing to original specifications.

<b>No 242</b>	for models 242, 243 w/sandblast etched logos	 	<b>\$ 18.00</b>
<b>No 330</b>	1st style fits all 2 mantle lanterns w/sandblast etched logos	 	<b>\$30.00</b>

Add \$7.00 for shipping and handling on one Chimney or Globe.

Call for details on multiple orders.

PYREX® is a registered trademark of Corning Inc., Corning, NY 14831

Coleman is a registered trademark of The Coleman Co. Inc.

**FRED KUNTZ** 47 LARCHWOOD DRIVE PAINESVILLE, OH 44077 **440-352-9630**  
PLEASE LEAVE MESSAGE

E-Mail: [fredkuntz@adelphia.net](mailto:fredkuntz@adelphia.net)



# Whitworth Shop

Cabinet Maker  
Coachbuilder  
MG: MMM & T-Series  
VW: Type II & 181  
Gravelly: Model D & L  
Coleman: Lanterns & Lamps

Craig Seabrook  
14444 Watt Road  
Novelty, OH 44072 U.S.A.  
Phone: 440-338-5950  
E-Mail: seabrook@en.com

## No. 318 COLEMAN & SUNSHINE SAFETY ARC LANTERN


- ARC LANTERN HANDLE -

Black painted wood grip & nickel plated wire bail  
Price: \$52.00


Wood grip only - split design  
Price: \$20.00

- GLASS GLOBE -

Reproduced exactly as original using a cast iron mold  
Also used: No. 250 Outside System Lamp  
Price: \$45.00  
UPS & Handling extra - double boxed  
call for shipping details



## No. 321 Coleman Half Frosted Glass Globe



Reproduced exactly as original using a cast iron mold to fit the following lamps:  
Model CQ Quick-lite Table Lamp  
Model PQ Quick-lite Chandelier  
Model BQ Quick-lite Bracket Lamp  
Price: \$45.00 UPS & Handling extra - double boxed - call for details